



VERTIGINE

THE SUNDAY HAS COME, SUNRISE IS APPROACHING, IT'S THE PERFECT MOMENT TO RIDE IN THE FRESH AIR. THE LONG WAY, THE FATIGUE, THE MORE AND MORE STEEPLY CLIMB BUT FINALLY THE DESERVED DESTINATION.



COLOR CUSTOMIZATION



BLACK



RED

With the Vertigine frame kit the ride is a mix of stream of consciousness, emotions, sweat and the sound of bouncing's wheels on the asphalt. The Vertigine frame kit is again the perfect combination of design and technique, power and wise Italian cycling culture.

Dedacciai Strada offers to all the enthusiasts the performing frame, stiff and fast with a frame weight wise of less than 1 kilo in order to equip superior components and accessories.

Double gear suitability electronic or mechanical devices through light alloy cable stoppers included in the Vertigine kit.

Inner and integrated cable routing both mechanical and electronic devices. The electronic device is suggested with the inner battery installation inside the seat post via the DBA adaptor (Deda Elementi) diameter 31,6 mm. The frame construction and the engineered details make the Vertigine as the unique manufactured product with superior features and specifications. High module carbon fiber Toray with exceptional rigidity values to the head tube 122,4 N/mm and to the bottom

bracket with 200 N/mm values. Off-set of 5 cm to conjunction seat stays to top tube in order to offer further handling performance during selective routes.

Monocoque carbon fork, high module, with tapered steering tube 1-1/8" to 1-5" in order to ride unique and safe trajectories.

The fork art work and design match perfectly the esthetic shape of the frame and together they offer a superior choreography presence in both versions matt red and glossy/ matt black.

Dedacciai Strada offers the customization service on demand in order to customiz design and colors on the Vertigine design basis.

Wise care for details such as anterior and posterior carbon drop-outs which are protected by a thin alloy washer in

order to protect them from the wheels installation. Also the cables housing underneath the bottom bracket which protects wires from the dirty but at the same time it allows easy maintenance operations.

Bottom bracket carbon PF-30 in order to offer sudden rigidity and exclusive power to the most exigent quadriceps.



Full carbon PF-30



Full inner cable routing




Drop-out washer save-wheel-mount



Seat tube 31,6 mm

- Monocoque carbon fiber frame highest module Toray UD lay-up
- Frame weight: 980 g on the painted M size
- 5 sizes XS, S, M, L, XL
- Bottom bracket PF30 full carbon fiber (adapters BSA - BB30 on demand)
- Internal cables routing for shifting devices and rear brake
- Anterior derailleur clamp-on-type 35 mm
- Suitable for electronic and mechanical devices by replacing included cable stopper tools
- Round VT id 31,6 mm
- Carbon drop-outs with protector alloy washer
- F-24 monocoque carbon fork 370 g UD lay-up
- Tapered head tube 1-1/8" - 1-1/2"
- Integrated headset included alloy
- Colors: BOB/WHITE and RED/MATT
- Customization color on demand



Refer. design	SIZE				
	XS	S	M	L	XL
A	505	520	535	555	575
B	518	540	560	581	605
B1	435	455	490	505	535
C	115	130	145	165	190
D	75°	74,5°	74°	73,5°	73°
E	71,5°	71,5°	72°	72°	73°
F	407	407	410	410	410
G	567	578	584	600	605
H	367	374	379	389	395
I	516	526	542	561	588