### according to Regulation (EC) No 1907/2006

#### ABUS Pflegespray PS88

Print date: 20.06.2014

Product code: 11ACH20007A0125

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ABUS Pflegespray PS88

Further trade names

CH20007A0050

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name:	ABUS August Bremicker Söhne KG	
Street:	Altenhofer Weg 25	
Place:	D-58300 Wetter	
Telephone:	+49 (0) 2335 6340	Telefax: +49 (0) 2335 634316
1.4. Emergency telephone number:	+49 (0) 2335 6340 (Mo-Do 07.15-16.45; Fr 07.15-15.00)	

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable

R phrases:

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking.

#### GHS classification

Hazard categories: Aerosol: Aerosol 1 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic to aquatic life with long lasting effects.

Danger

#### 2.2. Label elements

Signal word: Pictograms:



#### Hazard statements

H222	Extremely flammable aerosol.			
H229	Pressurised container: May burst if heated.			
H411	Toxic to aquatic life with long lasting effects.			
Precautionary statements				

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P261	Avoid breathing Aerosol.

## according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88					
Print date: 20.06.2014	Product code: 11ACH20007A0125	Page 2 of 12			
P302+P352	IF ON SKIN: Wash with Water and soap				
P391	Collect spillage.				
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.				
P501	Dispose of contents / container in accordance with local regulations				
Special labelling of ce	rtain mixtures				
EUH066	Repeated exposure may cause skin dryness or cracking.				
EUH208	Contains 4-Nonylphenoxyacetic acid. May produce an allergic reaction.				

## 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
919-164-8	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)	25 - < 50 %
64742-82-1	Xn - Harmful R52-53-65-66	
	Asp. Tox. 1, Aquatic Chronic 3; H304 H412	
01-2119473977-17		
920-750-0	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics	5 - < 10 %
64742-49-0	F - Highly flammable, Xn - Harmful, N - Dangerous for the environment R11-51-53-65-66-67	
	Flam. Liq. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H225 H304 H336 H411	
01-2119473853-33		
265-156-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic	1 - < 5 %
64742-53-6	Xn - Harmful R65	
	Asp. Tox. 1; H304	
01-2194037534		
273-066-3	Propylated triphenyl phosphate	0.1 - < 1 %
68937-41-7	Repr. Cat. 3, Xn - Harmful, N - Dangerous for the environment R62-63-48/22-51-53	
	STOT RE 2, Repr. 2, Aquatic Chronic 2; H373 H361fd H411	
263-189-0	N-Tallowalkyl-1,3-propanediamine	0.1 - < 1 %
61791-55-7	T - Toxic, C - Corrosive, Xn - Harmful, N - Dangerous for the environment R22-34-48/25-50	
	Acute Tox. 4, Skin Corr. 1B, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H372 H400 H410	
01-2119487014-41		
221-486-2	4-Nonylphenoxyacetic acid	0.1 - < 1 %
3115-49-9	C - Corrosive, Xn - Harmful, N - Dangerous for the environment R22-34-43-50-53	
	Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H317 H400 H410	
204-112-2	triphenyl phosphate	< 0.1 %
115-86-6	N - Dangerous for the environment R50-53	
	Aguatic Acute 1, Aguatic Chronic 1; H400 H410	

Full text of R and H phrases: see Section 16.

according to Regulation (EC) No 1907/2006

### ABUS Pflegespray PS88

Print date: 20.06.2014

## Product code: 11ACH20007A0125

Page 3 of 12

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## **General information**

Never give anything by mouth to an unconscious person or a person with cramps. Remove persons to safety.

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

#### Headache, nausea, dizziness, fatigue, skin irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation.

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### according to Regulation (EC) No 1907/2006

### ABUS Pflegespray PS88

Product code: 11ACH20007A0125

Page 4 of 12

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Print date: 20.06.2014

No special measures are necessary.

#### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Protect from frost. Protect against direct sunlight.

#### 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64742-49-0	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics		600		TWA (8 h)	TRGS
					STEL (15 min)	TRGS
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)		100		TWA (8 h)	AGW
					STEL (15 min)	AGW
115-86-6	triphenyl phosphate		3		TWA (8 h)	
		-	6		STEL (15 min)	
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

## Additional advice on limit values

a no restriction

- b End of exposure or shift
- c in long-term exposure: after several shifts
- d prior to next shift
- TWA (EC): time-weighted average

# U: Urea

## 8.2. Exposure controls

## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### according to Regulation (EC) No 1907/2006

## ABUS Pflegespray PS88

Product code: 11ACH20007A0125

Page 5 of 12

## Eye/face protection

Print date: 20.06.2014

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol		
Colour:	yellow-brown		
Odour:	solvent like		
			Test method
pH-Value (at 20 °C):		not determined	DIN 19268
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		-40 °C	
Sublimation point:		No information available.	
Softening point:		No information available.	
:		No information available.	
Flash point:		-80 °C	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		1 vol. %	
Upper explosion limits:		11 vol. %	
Ignition temperature:		No information available.	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties			
Not oxidizing.			
Vapour pressure:		not determined	
Vapour pressure:		No information available.	
Density (at 20 °C):		0,815 g/cm <sup>3</sup>	DIN 51757
Bulk density:		No information available.	
Water solubility:		insoluble	
Solubility in other solvents not determined			
not determined			

according to Regulation (EC) No 1907/2006

	ABUS Pflegespray PS88	
Print date: 20.06.2014	Product code: 11ACH20007A0125	Page 6 of 12
Partition coefficient:	not determined	
Viscosity / dynamic:	No information available.	
Viscosity / kinematic:	No information available.	
Flow time:	No information available.	
Vapour density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
9.2. Other information		
Solid content:	not determined	

Density Data apply to the technically active substance. pressure  $\,$  - bar (20°C)

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable, Ignition hazard.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### Further information

Do not mix with other chemicals.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No information available.

## Acute toxicity

Based on available data, the classification criteria are not met.

## according to Regulation (EC) No 1907/2006

## ABUS Pflegespray PS88

## Product code: 11ACH20007A0125

Page 7 of 12

Print date: 20.06.2014

Acute toxicit	cute toxicity						
CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
64742-82-1	Hydrocarbons, C10-C13, n-alk						
	oral	LD50 mg/kg	>15000	Rat			
	dermal	LD50 mg/kg	>3400	Rabbit			
	inhalative (4 h) aerosol	LC50	13,1 mg/l	Rat			
64742-49-0	Hydrocarbons C7-C9, n-alkane	es, iso-alkanes, o	cyclics				
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalative (4 h) vapour	LC50	> 20 mg/l	Rat			
64742-53-6	Baseoil - unspecified, Distillate	s (petroleum), h	ydrotreated light	naphthenic			
	oral	LD50 mg/kg	>5000	Rat			
	dermal	LD50 mg/kg	>3000	Rabbit			
68937-41-7	Propylated triphenyl phosphate	;					
	oral	LD50 mg/kg	2530 - 5000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalative (1 h) aerosol	LC50	> 200 mg/l	Rat			
61791-55-7	N-Tallowalkyl-1,3-propanediam	line					
	oral	LD50 mg/kg	>300 - 2000	Rat			
3115-49-9	4-Nonylphenoxyacetic acid						
	oral	LD50	1674 mg/kg	Rat			
115-86-6	triphenyl phosphate						
	oral	LD50 mg/kg	>20000	Rat	ECHA		
	dermal	LD50 mg/kg	>10000	Rabbit	ECHA		
	inhalative (1 h) vapour	LC50	200 mg/l	Rat	ECHA		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## Severe effects after repeated or prolonged exposure

Repeated exposure may cause skin dryness or cracking.

## Carcinogenic/mutagenic/toxic effects for reproduction

### according to Regulation (EC) No 1907/2006

## ABUS Pflegespray PS88

Print date: 20.06.2014

Product code: 11ACH20007A0125

Page 8 of 12

Based on available data, the classification criteria are not met. No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

## Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No information available.

### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

-

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source	
64742-82-1	Hydrocarbons, C10-C13, n-a	alkanes, iso-alk	anes, cyclics, aro	mates (2·	-25 %)		
	Acute fish toxicity	LC50	10-100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	10-100 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	100-200 mg/l	48 h	Daphnia magna		
64742-49-0	Hydrocarbons C7-C9, n-alka	ines, iso-alkane	es, cyclics				
	Acute fish toxicity	LC50	>1-10 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	>1-10 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	>10-100 mg/l	48 h	Daphnia magna		
68937-41-7	Propylated triphenyl phospha	ate			-		
	Acute fish toxicity	LC50	0,36 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	1000 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	1 mg/l	48 h	Daphnia magna		
61791-55-7	N-Tallowalkyl-1,3-propanedia	amine					
	Acute fish toxicity	LC50 mg/l	>0,02 - 0,1	96 h	Brachydanio rerio (zebra-fish)		
	Acute algae toxicity	ErC50 mg/l	>0,02 - 0,1	72 h	Desmodesmus subspicatus.		
	Acute crustacea toxicity	EC50 mg/l	>0,02 - 0,1	48 h	Daphnia magna (Big water flea)		
3115-49-9	4-Nonylphenoxyacetic acid						
	Acute fish toxicity	LC50	9 mg/l	96 h	Brachydanio rerio (zebra-fish)		
	Acute crustacea toxicity	EC50	0,88 mg/l	48 h	Daphnia magna		
115-86-6	triphenyl phosphate						
	Acute fish toxicity	LC50	0,32 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	5 mg/l	72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 mg/l	0,18 - 0,32	48 h	Crustaceans		

### according to Regulation (EC) No 1907/2006

## ABUS Pflegespray PS88

Product code: 11ACH20007A0125

Page 9 of 12

#### 12.2. Persistence and degradability

Print date: 20.06.2014

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
3115-49-9	4-Nonylphenoxyacetic acid					
	OECD 301B; ISO 9439; 92/69/EWG, C.4-C	42 - 46 %	28			
	Moderately/partially biodegradable.	-				

#### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)	4,2
64742-49-0	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics	4,0

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

#### Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information	
-----------------------------------	--

## Land transport (ADR/RID)

<u>14.1. UN number:</u>

UN 1950

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88				
Print date: 20.06.2014	Product code: 11ACH20007A0125	Page 10 of 12		
14.2. UN proper shipping name:	AEROSOLS			
14.3. Transport hazard class(es):	2			
Hazard label:	2.1			
Classification code:	5F			
Special Provisions:	190 327 344 625			
Limited quantity:	1L			
Transport category:	2			
Tunnel restriction code:	D			
Other applicable information (land trans Limited quantity: E0	sport)			
Inland waterways transport (ADN)				
<u>14.1. UN number:</u>	UN 1950			
14.2. UN proper shipping name:	AEROSOLS			
14.3. Transport hazard class(es):	2			
Hazard label:	2.1 5F			
Classification code: Special Provisions:	5F 190 327 344 625			
Limited quantity:	1 L			
Other applicable information (inland wa Limited quantity: E0				
Marine transport (IMDG)				
14.1. UN number:	UN 1950			
<u>14.2. UN proper shipping name:</u>	AEROSOLS			
<u>14.3. Transport hazard class(es):</u>	2			
14.4. Packing group:	-			
Hazard label:	2. see SP63			
Marine pollutant:	Ves			
Special Provisions:	63, 190, 277, 327, 344, 959			
Limited quantity:	See SP277			
EmS:	F-D, S-U			
Other applicable information (marine tr Limited quantity: E0	ansport)			
Air transport (ICAO)				
<u>14.1. UN number:</u>	UN 1950			
<u>14.2. UN proper shipping name:</u>	AEROSOLS, flammable			
14.3. Transport hazard class(es):	2.1			
Hazard label:	2.1			
Special Provisions:	A145 A167 A802			
Limited quantity Passenger:	30 kg G			
IATA-packing instructions - Passenger:	203			
IATA-max. quantity - Passenger:	75 kg			
IATA-packing instructions - Cargo:	203			
IATA-max. quantity - Cargo:	150 kg			
Other applicable information (air transp Limited quantity: E0 Passenger-LQ: Y203	ort)			
14.5. Environmental hazards				

## according to Regulation (EC) No 1907/2006

		ABUS Pflegespray PS88	
Print date: 20.06	5.2014	Product code: 11ACH20007A0125	Page 11 of 12
ENVIRONME	ENTALLY HAZARDOUS:	yes	
Danger relea	sing substance:	N-Tallowalkyl-1,3-propanediamine	
	<u>ecautions for user</u> Warning: Flammable gases.		
	in bulk according to Annex not applicable	II of MARPOL73/78 and the IBC Code	
	Regulatory information		
<u>15.1. Safety, hea</u>	alth and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulator	ry information		
1999/13/EC (	(VOC):	No information available.	
Additional in			
	Safety Data Sheet according	g to Regulation (EC) No. 1907/2006 (REACH) 99/13/EC about limitation of emissions of volatile organic compounds	
National reg	ulatory information		
Employment Water contan	restrictions: ninating class (D):	Observe employment restrictions for young people. 1 - slightly water contaminating	
15.2. Chemical	safety assessment		
	Chemical safety assessmen	ts for substances in this mixture were not carried out.	
SECTION 16: (	Other information		
	ns and acronyms		
		e transport des marchandises dangereuses par Route	
		erning the International Carriage of Dangerous Goods by Road ) e Code for Dangerous Goods	
	IATA: International Air Trans		
		System of Classification and Labelling of Chemicals	
		y of Existing Commercial Chemical Substances	
	•	otified Chemical Substances	
	CAS: Chemical Abstracts Se		
	LC50: Lethal concentration,	50%	
	LD50: Lethal dose, 50%		
	R phrases referred to under	Sections 2 and 3	
11	Highly flammable.		
12	Extremely flammable.		
22	Harmful if swallowed.		
34	Causes burns.		
43	May cause sensitisati		
48/22		rious damage to health by prolonged exposure if swallowed.	
48/25	Toxic: danger of serio	us damage to health by prolonged exposure if swallowed.	
50	Very toxic to aquatic o	organisms.	
51	Toxic to aquatic organ	isms.	
52	Harmful to aquatic org	anisms.	
52/53		ganisms, may cause long-term adverse effects in the aquatic environ	ment.
53		adverse effects in the aquatic environment.	
62	Possible risk of impair		
63	Possible risk of harm		
65		ung damage if swallowed.	
66		nay cause skin dryness or cracking.	

according to Regulation (EC) No 1907/2006

ABUS Pflegespray PS88				
Print date: 20.06.201	14 Product code: 11ACH20007A0125	Page 12 of 12		
67	Vapours may cause drowsiness and dizziness.			
Full text of H sta	tements referred to under Sections 2 and 3			
H222	Extremely flammable aerosol.			
H225	Highly flammable liquid and vapour.			
H229	Pressurised container: May burst if heated.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H336	May cause drowsiness or dizziness.			
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.			
H372	Causes damage to organs through prolonged or repeated exposure.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Further Informat	ion			
our ; the ; infor prod	above information describes exclusively the safety requirements of the product and is based on present-day knowledge. The information is intended to give you advice about the safe handling of product named in this safety data sheet, for storage, processing, transport and disposal. The rmation cannot be transferred to other products. In the case of mixing the product with other ducts or in the case of processing, the information on this safety data sheet is not necessarily valid he new made-up material.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)