

## **MINERAL BRAKE FLUID**

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 14/08/2003

Revision date: 20/02/2015

Supersedes: 20/10/2014

Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form Product	: Mixture
name.	: MINERAL%5\$.( FLUID
Product code	
Product group	: Blend
	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec.	: Non-dispersive use
	Used in closed systems
Function or use category	: Lubricants and additives
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety	data sheet
ELVEDES CABLE SYSTEMS B.V.	
Grutter 7 NL-5253 RM NIEUWKUIJK	
T +31 (0)416 374 597	
info@elvedes.com	
1.4. Emergency telephone number	
Emergency number	: 003 (0)
<b>G , , , , , , , , , ,</b>	
SECTION 2: Hazards identification	

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC R52/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements

Safety Data Sheet according to Regulation (EC) No. 453/2010

Labelling according to Regulation (EC) No Hazard pictograms (CLP)	D. 12 2/2008 [CLP]	
Signal word (CLP)	: Danger.	
Hazardous ingredients	: Baseoil - unspecified, White Mineral Oil (petroleum)	
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways H412 - Harmful to aquatic life with long lasting effects	
Precautionary statements (CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor P331 - Do NOT induce vomiting P405</li> <li>Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations</li> </ul>	al
20/02/2015	EN (English)	1/6

EUH phrases EUH208 - Contains Phenol, isopropylated, phosphate (3:1)(68937-41-7). May produce an allergic reaction

### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Baseoil - unspecified	(CAS No) 72623-86-0 (EC no) 276-737-9 (EC index no) 649-482-00-X	50 - 100	Not classified
White Mineral Oil (petroleum)	(CAS No) 8042-47-5 (EC no) 232-455-8	25 - 50	Not classified
2,6-di-tert-butyl-p-cresol	(EC no) 204-881-4 (REACH-no) 01-2119565113-46	0,1 - 1	N; R50/53
Phenol, isopropylated, phosphate (3:1)	(CAS No) 68937-41-7 (EC no) 273-066-3	0,1 - 1	Repr.Cat.3; R62 Repr.Cat.3; R63 X1; R48/22 N; R51/53

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Baseoil - unspecified	(CAS No) 72623-86-0 (EC no) 276-737-9 (EC index no) 649-482-00-X	50 - 100	Asp. Tox. 1, H304
White Mineral Oil (petroleum)	(CAS No) 8042-47-5 (EC no) 232-455-8	25 - 50	Asp. Tox. 1, H304
2,6-di-tert-butyl-p-cresol	(EC no) 204-881-4 (REACH-no) 01-2119565113-46	0,1 - 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol, isopropylated, phosphate (3:1)	(CAS No) 68937-41-7 (EC no) 273-066-3	0,1 - 1	Skin Sens. 1, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 2, H411
20/02/2015	EN (English)	·	2/8

20/02/2015

Safety Data Sheet according to Regulation (EC) No. 453/2010

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures	
4.4 Description of first sid measures	
4.1. Description of first aid measures First-aid measures after inhalation	: Call a POISON CENTER/doctor/physician if you feel unwell. Assure fresh air breathing.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.
· ····	
4.2. Most important symptoms and effect	
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medical	attention and special treatment needed
Ingestion of this product may lead to chemical pr	eumonia and even death.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	Powder. Dry chemical product. Unsuitable extinguishing media
: Do not use a heavy water stream.	
5.2. Special hazards arising from the sul No additional information available	ostance or mixture
5.3. Advice for firefighters	
· ·	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq 6.1.1. For non-emergency personnel	uipment and emergency procedures
Protective equipment	: Wear suitable protective clothing and gloves.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing and gloves.
6.2. Environmental precautions	
	authorities if product enters sewers or public waters.
6.3. Methods and material for containme	• •
For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storege	
SECTION 7: Handling and storage	

EN (English)

3/8

Safety Data Sheet according to Regulation (EC) No. 453/2010

7.1.	Precautions for safe handling	:
	Ŭ	
Precau	itions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handli	ng temperature	: < 40 °C
Hygier	e measures	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke an when leaving work.
7.2.	Conditions for safe storage, inclu	uding any incompatibilities
Storag	e temperature	: < 40 °C
Storag	e area	: Store in dry, cool, well-ventilated area.
7.3.	Specific end use(s)	
No add	litional information available	
8.1.	Control parameters	
		: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis
		according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).
8.2.	Exposure controls	
	Exposure controls nal protective equipment	

Hand protection	: Wear suitable gloves resistant to chemical penetration.
Skin and body protection	: No special clothing/skin protection equipment is recommended under normal conditions of use.
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

SECTION 9: Physical and chemical properties		
9.1.	Information on basic physical and chemical properties	

Physical state	: Liquid
Appearance Colour	: Oily liquid. : \HOORZ.
Odour	: Characteristic.
Odour threshold available	: No data available pH : No data
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available

Safety Data Sheet according to Regulation (EC) No. 453/2010

Freezing point	: -55 °C
Boiling point	: > 200
Flash point	: > 125 °C @ ASTM D92
Self ignition temperature	:>°C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	: 840 kg/m³ @15°C : Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 18 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information No additional information available	
SECTION 10: Stability and reactivity	
10.1.         Reactivity           None under normal conditions.	
10.2.Chemical stabilityStable under normal conditions.	

#### **10.3. Possibility of hazardous reactions** None under normal conditions.

**10.4.** Conditions to avoid No data available.

## 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

# 10.6.Hazardous decomposition productsNone under normal conditions.

### SECTION 11: Toxicological information

11.1.	Information on toxicological effects	
Acute tox	icity	: Not classified

MINERAL %5\$.(FLUID	
LD50 oral rat	> mg/kg
LD50 dermal rabbit	> mg/kg

Safety Data Sheet according to Regulation (EC) No. 453/2010

White Mineral Oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

2,6-di-tert-butyl-p-cresol	
LD50 oral rat > 2930 mg/kg OECD 401	
LD50 dermal rat	> 2000 mg/kg OECD 402

Skin	corrosion/irritation	:	Not	classified	Serious	eye
dama	ge/irritation : Not class	sifie	d Resp	iratory or sk	in sensitisa	tion :
Not cl	Not classified Germ cell mutagenicity : Not classified					
Carcir	ogenicity				: Not class	sified
Repro	ductive toxicity				: Not class	sified
Specif	ic target organ toxicit	y (si	ngle ex	xposure)	: Not class	sified

Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard

May be fatal if swallowed and enters airways.

### **SECTION 12: Ecological information**

12.1. Toxicity

White Mineral Oil (petroleum) (8042-47-5)	
LC50 fishes 1	> 100 mg/l

12.2.	Persistence and degradability	
MINER	RAL%5\$.( FLUID	
Persist	ence and degradability	Not soluble in water, so only minimally biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4.	Mobility in soil
No additi	onal information available

### **12.5. Results of PBT and vPvB assessment** No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet according to Regulation (EC) No. 453/2010

	:	
SECT	ION 13: Disposal considerations	
13.1.	Waste treatment methods	
Addition	nal information : Di	spose in a safe manner in accordance with local/national regulations.
SECT	ION 14: Transport information	
In accor	vrdance with ADR / RID / ADNR / IMDG / ICAO	/ ΙΑΤΑ
14.1.	UN number	
No dang 14.2.	gerous good in sense of transport regulations UN proper shipping name	
Not app	plicable	
14.3.	Transport hazard class(es)	
Not app	plicable	
14.4.	Packing group	
Not app	plicable	
14.5.	Environmental hazards	
Other in	nformation : N	o supplementary information available.
14.6.	Special precautions for user	
14.6.1.	Overland transport	
No addi	litional information available	
14.6.2.	Transport by sea	
	litional information available	
14.6.3.	· · · · · · · · · · · · · · · · · · ·	
	litional information available	
14.6.4.	· · · · · · · · · · · · · · · · · · ·	
audition	nal information available	
14.7.	Transport in bulk according to Annex II o	f MARPOL 73/78 and the IBC Code
Not app	Dicable	

### **SECTION 15: Regulatory information**

15.1.Safety, health and environmental regulations/legislation specific for the substance or mixture15.1.1.EU-Regulations

No REACH Annex XVII restrictions Contains no REACH candidate substance

### 15.1.2. National regulations

### Germany

Water hazard class (WGK)

: 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Safety Data Sheet according to Regulation (EC) No. 453/2010

No additional information available

### **SECTION 16: Other information**

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of R-, H- and EUH-phrases::

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Repr. 2	Reproductive toxicity Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
N	Dangerous for the environment
Xn	Harmful

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.