



EcoTech® Liquid

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
GHS Product Identifier	Not applicable.
Chemical Name	Not applicable.
Trade name	EcoTech® Liquid
CAS No.	Mixture
EINECS No.	Mixture
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	Degreaser
Uses advised against	None.
1.3 Details of the supplier of the safety data sheet	
Company Identification	Finish Line Technologies, Inc. 50 Wireless Blvd. Hauppauge, NY 11788 USA
Telephone	+1 (631) 666-7300
Fax	+1 (631) 666-7391
E-Mail (competent person)	SDSinfo@finishlineusa.com
Distributor	Madison Cycles 8 Stanmore Hill Stanmore, Middlesex, HA7 3BQ United Kingdom
Telephone	+44 870 034 7226
1.4 Emergency telephone number	
Emergency Phone No.	Medical Emergency: PROSAR 24 hr: 1-800-217-5157 / 1-651-523-0304 Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Regulation (EC) No. 1272/2008 (CLP).	Flam. Liq. 3; Asp. Tox. 1; Eye Irrit. 2; STOT SE 3; Aquatic Chronic 3
2.2 Label elements	
Hazard Symbol	
Signal word(s)	Danger
Hazard statement(s)	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H412: Harmful to aquatic life with long lasting effects. EUH208: Contains:D-Limonene. May produce an allergic reaction.



EcoTech® Liquid

Precautionary statement(s)

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P261: Avoid breathing vapours.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P102: Keep out of reach of children.

None

2.3 Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP).

Hazardous ingredient(s)	%W/W	EC No. and CAS#	According to Regulation (EC) No. 1272/2008 (CLP)
Distillates (petroleum), hydrotreated light	50-85	265-149-8 64742-47-8	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336
Alcohols, C9-11 ethoxylated, < 2.5 EO	1-2.5	----- 68439-46-3	Eye Dam. 1; H318
D-limonene	<0.8	227-813-5 5989-27-5	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.

Skin Contact

Wash affected skin with soap and water. If symptoms develop, obtain medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur obtain medical attention.

Ingestion

Do not induce vomiting wash out mouth with water. Do not give anything by mouth to an unconscious person. Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration of liquid may cause pulmonary oedema. Contains: D-limonene. May cause an allergic skin reaction.

4.3 Indication of the immediate medical attention and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media



EcoTech® Liquid

Skin protection (Hand protection/ Other)



Wear protective gloves.(Nitrile rubber)

Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not normally required.

8.2.3 Environmental Exposure Controls

None assigned.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Citrus
Odour Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	>155(Distillates (petroleum), hydrotreated light)
Flash Point (°C)	40 (Distillates (petroleum), hydrotreated light)
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Explosive limit ranges	Not available
Vapour Pressure (Pascal)	Not available
Vapour Density (Air=1)	Not available
Density (g/ml)	ca. 0.8
Solubility (Water)	Slightly soluble.
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Temperature (°C)	>200 (Distillates (petroleum), hydrotreated light)
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cP)	Not available
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable.
10.3 Possibility of hazardous reactions	None anticipated.
10.4 Conditions to avoid	Avoid contact with heat and ignition sources.
10.5 Incompatible materials	Strong oxidising agents
10.6 Hazardous Decomposition Product(s)	None known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Substances

Not applicable

11.1.2 Mixtures - By analogy with similar materials:

Acute toxicity	Not available
Skin corrosion/irritation	Not available
Serious eye damage/irritation	Not available
Respiratory or skin sensitization	Not available



EcoTech® Liquid

Germ cell mutagenicity	Not available
Carcinogenicity	Not available
Reproductive toxicity	Not available
STOT - single exposure	Not available
STOT - repeated exposure	Not available
Aspiration hazard	Not available

11.1.3 Substances in preparations / mixtures

Distillates (petroleum), hydrotreated light (CAS# 64742-47-8)

Acute toxicity	Oral: LD50 >55 g/kg-bw Dermal: LD50 >3 g/kg-bw
Skin corrosion/irritation	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Not to be expected.
Respiratory or skin sensitization	Not to be expected.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	Not to be expected.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected.
Aspiration hazard	Aspiration of droplets may cause pulmonary oedema.

D-limonene (CAS#5989-27-5):

Acute toxicity	Oral: LD50 >4g/kg-bw
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	May cause eye irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	No data.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected.
Aspiration hazard	Aspiration of droplets may cause pulmonary oedema.

11.2 Other information None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

12.1.1 Substances in preparations / mixtures

Distillates (petroleum), hydrotreated light (CAS# 64742-47-8) - By analogy with similar materials:

Short term	Not available
Long Term	Not available
12.2 Persistence and degradability	Not available
12.3 Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4 Mobility in soil	The product is predicted to have high mobility in soil.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None known.
<u>D-limonene (CAS#5989-27-5):</u>	
Short term	LC50 (96 hour) 720µg/l (Fathead minnow (Pimephales promelas))
Long Term	Not available
12.2 Persistence and degradability	Readily biodegradable.
12.3 Bioaccumulative potential	Not available
12.4 Mobility in soil	Not available
12.5 Results of PBT and vPvB assessment	Not available
12.6 Other adverse effects	None known.



EcoTech® Liquid

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	<u>Land transport (ADR/RID)</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
14.1 UN number	1268	1268	1268
14.2 Proper Shipping Name	Petroleum Distillates	Petroleum Distillates	Petroleum Distillates
	n.o.s.	n.o.s.	n.o.s.
14.3 Transport hazard class(es)	3	3	3
14.4 Packing Group	III	III	III
14.5 Environmental hazards	No.	No.	No.
14.6 Special precautions for user	None assigned	None assigned	None assigned
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 EU regulations

Regulation (EC) 2037/2000 - Dangerous to the ozone layer.
Regulation (EC) 850/2004 - Persistent Organic Pollutants
Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals
Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use

Listed

No.
No.
No.
No.

15.1.2 National regulations

Not established.

15.2 Chemical Safety Assessment

Not applicable

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Hazard statement(s) and Precautionary statement(s):

- H226: Flammable liquid and vapour.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.
- H410: Very toxic to aquatic life with long lasting effects.

GHS Classification

- Flam. Liq. 3; Flammable Liquid Category 3
- Asp. Tox. 1: Aspiration hazard Category 1
- Eye Irrit. 2; Serious eye damage/irritation Category 2
- STOT SE 3; Specific target organ toxicity — single exposure Category 3
- Aquatic Chronic 3; Chronic aquatic toxicity, Category 3

Training advice: None.

Additional Information: None.



EcoTech® Liquid

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.