

Version number 1.1

Revision: 04.04.2019

1 Identification

- · Product identifier
- Trade name: <u>RACING FORK OIL 7,5W</u>
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Only for proper handling. Fork oil
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

BUCHER AG LANGENTHAL MOTOREX–Schmiertechnik Bern–Zürich–Strasse 31 CH–4901 Langenthal Telefon +41 (0)62 919 75 75

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

• **Classification of the substance or mixture** The product is not classified, according to the Globally Harmonised System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	<i>≥</i> 70- <i>≤</i> 80%
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	<i>≥</i> 2.5- <i>≤</i> 7.5%
CAS: 64742-46-7 EINECS: 265-148-2	Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics Asp. Tox. 1, H304	<i>≥</i> 1- <i>≤</i> 3%

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Remove residues with soap and water. Remove contaminated clothing immediately.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.

After swallowing: Do not induce vomitting. Do not take in resorption stimulating agents. Consult a physician who will decide on need and method of emptying the stomach.

- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 3)

- AU

(Contd. of page 1)

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

(Contd. of page 2)

Trade name: RACING FORK OIL 7,5W

· Storage class: 10

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	6 Distillates (petroleum), hydrotreated light nap	
	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3 (worker)
	1 Lubricating oils (petroleum), C20-50, hydrotre	
Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3/8h (worker)
	DNEL/general population/Local effects/Long-term	1.2 mg/m3/24h (consumer)
64742-46-	7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes	s, cycloalkanes, <0.03% aromatics
Dermal	DNEL / Workers / Systemic effects / Long-term	2.9 mg/kg/24h (worker)
Inhalative	DNEL / Workers / Systemic effects / Long-term	16 mg/m3 (worker)
Additiona	I information: The lists valid during the making we	ere used as basis.
Evnoquro	aantrala	
Exposure		
	protective equipment:	
	rotective and hygienic measures:	
	y from foodstuffs, beverages and feed.	
	ds before breaks and at the end of work.	
	ale gases / fumes / aerosols.	
	ry protection:	
	sary if room is well-ventilated.	
Respirator	ry protection if formation of aerosol or mist: use ma	sk with filter type A2, A2/P2 or ABEK
	n of hands:	
	e material has to be impermeable and resistan	t to the product/ the substance/ t
preparatio		tustise times weter of diffusion and t
	of the glove material on consideration of the pene	tration times, rates of diffusion and t
degradatio		
Material o		
	gloves to EN374, resistant to oil in use. Standard E	
	tion of the suitable gloves does not only depend on	the material, but also on further mai
	and varies from manufacturer to manufacturer.	
	pon rubber (Viton)	
Nitrile rubl		
	nded thickness of the material: \geq 0.4 mm	
	on time of glove material	
	break through time has to be found out by the ma	nufacturer of the protective gloves a
has to be		
	ixture of chemicals mentioned below the penetrat	ion time has to be at least 60 minut
	on according to EN 374 Part 3: Level 1).	
Eye prote	ction: Goggles recommended during refilling tection: Protective work clothing	

(Contd. on page 4)

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

(Contd. of page 3)

9 Physical and Chemical Propertie	es
· Information on basic physical and cher · General Information	mical properties
Appearance: Form:	Fluid
Colour: · Odour:	Red Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.
· Flash point:	>200 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>270 °C (DIN 51794)
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure at 20 °C:	1.6 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0.887 g/cm ³ (ASTM D 4052) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. 34.7 mm²/s @ 40 °C
Solids content: • Other information	0.0 % No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

 \cdot Possibility of hazardous reactions \mbox{No} dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

(Contd. of page 4)

Skin corrosion/irritation No irritant effect.			vant for classification:
LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOEL 30-2,000 mg/kg/24h (rat) NOAEL 150 mg/kg/24h (mouse) 1,000 mg/kg/24h (rabbit) 100 mg/kg/24h (mouse) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEL 980 mg/m3 (rat) 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 125 mg/kg/24h (rat) 1,000 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rabbit) NOAEL 100 mg/kg/24h (mouse) 1nhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC 980 mg/m3 (rat) NOAEC 980 mg/kg (rat) NOAEC 980 mg/kg (rat) NOAEC 200 mg/kg (rat) NOAEC 200 mg/kg (rat) NOAEC 200 mg/kg (rat) <			
Dermal LD50 2,000-5,000 mg/kg (rabbit) NOEL 30-2,000 mg/kg/24h (rat) NOAEL 150 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (rabbit) NOAEL 220 mg/m3 (rat) NOEL 220 mg/m3 (rat) NOAEL 980 mg/m3 (rat) T2623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC 200 mg/kg (rat) NOAEC 200 mg/kg (rat) NOAEC 200 mg/kg (rat) Dermal LD50 5,000 mg/kg (rat) NOAEL 5,000 mg/kg (rat) Der	Orai		
NOEL 30-2,000 mg/kg/24h (rat) NOAEL 150 mg/kg/24h (mouse) 1,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50/4h 2.18-5.53 mg/l (rat) NOEL 220 mg/m3 (rat) NOAEL 980 mg/m3 (rat) T2623-87-1 Lubricatimg oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (mouse) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC NOAEC 200 mg/kg (rat) NOAEC Oral LD50 5,000 mg/kg (rat) NOAEC 200 mg/m3 (rat) NOAEC Q00 mg/kg/24h (rab) .000 mg/kg/24h (rab) .000 mg/kg/24h (rab) Inhalative LD50 5,000 mg/kg (rabbit) .000 mg/kg/24h (ra	Dermel		
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Dennai		
Inhalative 1,000 mg/kg/24h (rabbit) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOEL 220 mg/m3 (rat) 980 mg/m3 (rat) 72623-87-1 Lubricatirup oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rat) 125 mg/kg/24h (rat) 000 mg/kg/24h (rab) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (rat) NOAEL 150 mg/kg/24h (rat) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) NOAEL 100 mg/kg/24h (rabbit) 30-2,000 mg/kg (rat) 30-2,000 mg/kg (rat) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) MOAEC 280 mg/m3 (rat) NOAEC 220 mg/m3 (rat) 30-2,000 mg/kg (rabbit) 64742-46-7 Hydrocz-rest, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics			
Inhalative IOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOEL 220 mg/m3 (rat) NOAEL 980 mg/m3 (rat) 72623-87-1 Lubricatirg oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabi) NOAEL 150 mg/kg/24h (rat) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rabbit) 30-2,000 mg/kg/24h (rabbit) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) 1,000 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) 220 mg/m3 (rat) 64742-46-T Hydrocarretors, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics		NOALL	
Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOEL 220 mg/m3 (rat) 72623-87-1 Lubricatire oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (rat) Joermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC 220 mg/m3 (rat) NOEC 220 mg/m3 (rat) NOEC 220 mg/m3 (rat) Orai LD50 5,000 mg/kg (rabbit) NOAEL 5,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rabbit) Dermal LD50 2,000 mg/kg (rabbit) NOAEL 30 mg/kg/24h (rabbit) LOEL 30 mg/kg/24h (rabbit) LOS0 / 4h <			
NOEL 220 mg/m3 (rat) NOAEL 980 mg/m3 (rat) 72623-87-1 Lubricatting oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (mouse) 1,000 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC 220 mg/m3 (rat) NOAEC 200 mg/kg (rat) Dermal LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rat) NOAEL 30 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) Dermal LD50 2,000 mg/kg (rath	Inhalativa		
NOAEL 980 mg/m3 (rat) 72623-87-1 Lubricatirr oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (nouse) 30-2,000 mg/kg/24h (rat) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOEC 280 mg/m3 (rat) NOEC 220 mg/m3 (rat) 64742-46-7 Hydrocar-bons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics	IIIIIaialive		
T2623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) 1,000 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC NOEC 220 mg/m3 (rat) NOAEC Oral LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rat) Dermal LD50 5,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1000 mg/kg/24h (rat) 1,000 mg/kg (rat)			
Oral LD50 5,000 mg/kg (rat) Dermal LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) J.000 mg/kg/24h (rabbit) 100 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rabbit) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOAEC NOAEC 980 mg/m3 (rat) NOEC 220 mg/m3 (rat) Oral LD50 5,000 mg/kg (rabbit) NOAEC 980 mg/m3 (rat) Dermal LD50 5,000 mg/kg (ratbit) NOAEL 25.000 mg/kg (ratbit) NOAEL 25-125 mg/kg/24h (ratbit) LOAEL 30 mg/kg/24h (ratbit) LOAEL 30 mg/kg/24h (ratbit) LOAEL 30 mg/kg/24h (ratbit) Inhalative LC50 / 4h LOAEL 30 mg/kg/24h (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Skin corrosio	72623-87-		• • • •
LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LOAEL 100 mg/kg/24h (mouse) NOAEC 980 mg/m3 (rat) NOAEC 980 mg/m3 (rat) NOEC 220 mg/m3 (rat) 64742-45-THydrocz-rbs, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics			
Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 30-2,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rabbit) LDAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOEC 220 mg/m3 (rat) OFC 220 mg/m3 (rat) OFC 220 mg/kg (rabbit) Dermal LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rat) Inhalative LOAEL 30 mg/kg/24h (rat) Inhalative LC50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect.			
NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (mouse) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) 980 mg/m3 (rat) OAEC 220 mg/m3 (rat) 000 mg/kg (rat) OFC 220 mg/m3 (rat) 000 mg/kg (rat) Oral LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) Inhalative LOAEL 30 mg/kg/24h (rat) Inhalative Z50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: Skin corrision/irritation No irritant effect.	Dermal		
Inhalative 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rabbit) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOEC 64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics			
Inhalative 1,000 mg/kg/24h (rabbit) Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOEC NOEC 220 mg/m3 (rat) NOEC 64742-46		_	
Inhalative LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) OAEC 220 mg/m3 (rat) 64742-46-7 Hydroca->>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>			
Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOEC 220 mg/m3 (rat) 64742-46-7 Hydrocar>ocar/main C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics		LOAEL	
NOEC 220 mg/m3 (rat) 64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics	Inhalative	LC50 / 4h	
64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics Oral LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rat) Inhalative LC50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) 23-24 mg/m3 (rat) Frimary irritant effect: Skin corrosion/irritation No irritant effect.		NOAEC	980 mg/m3 (rat)
Oral LD50 5,000 mg/kg (rat) Dermal LD50 2,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 1,000 mg/kg/24h (rabbit) LDAEL 30 mg/kg/24h (rat) Inhalative LC50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect.		NOEC	220 mg/m3 (rat)
Dermal LD50 2,000 mg/kg (rabbit) NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) Inhalative LOAEL 30 mg/kg/24h (rat) Inhalative LC50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat)	64742-46-	7 Hydroca	rbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics
NOAEL 25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) LOAEL 30 mg/kg/24h (rat) Inhalative LC50 / 4h 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: 5kin corrosion/irritation No irritant effect.	Oral	LD50	5,000 mg/kg (rat)
Inhalative 1,000 mg/kg/24h (rabbit) Inhalative 1,000 mg/kg/24h (rat) Inhalative 20 mg/kg/24h (rat) Inhalative 1.72-4.6 mg/l (rat) NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: 5kin corrosion/irritation No irritant effect.	Dermal	LD50	2,000 mg/kg (rabbit)
InhalativeLOAEL30 mg/kg/24h (rat)InhalativeLC50 / 4h1.72-4.6 mg/l (rat)NOAEC880-1,710 mg/m3 (rat)LOEL23-24 mg/m3 (rat)Primary irritant effect:Skin corrosion/irritation No irritant effect.		NOAEL	25-125 mg/kg/24h (rat)
InhalativeLC50 / 4h1.72-4.6 mg/l (rat)NOAEC880-1,710 mg/m3 (rat)LOEL23-24 mg/m3 (rat)Primary irritant effect:Skin corrosion/irritationNo irritant effect.			1,000 mg/kg/24h (rabbit)
NOAEC 880-1,710 mg/m3 (rat) LOEL 23-24 mg/m3 (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect.		LOAEL	30 mg/kg/24h (rat)
LOEL 23-24 mg/m3 (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect.	Inhalative	LC50 / 4h	1.72-4.6 mg/l (rat)
Primary irritant effect: Skin corrosion/irritation No irritant effect.			880-1,710 mg/m3 (rat)
Skin corrosion/irritation No irritant effect.			
· Respiratory or skin sensitisation No sensitising effects known.	Skin corre Serious e	osion/irrita ye damage	<i>tion</i> No irritant effect. # irritation No irritating effect.
 Additional toxicological information: The product is not subject to classification according to the calculation method of the General I 	Classificat	ion Guidelii	nes for Preparations as issued in the latest version.
The product is not subject to classification according to the calculation method of the General I Classification Guidelines for Preparations as issued in the latest version.		d and hand	lled according to specifications, the product does not have any harmful effect

(Contd. on page 6)

AU

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

(Contd. of page 5)

Toxic	-
	tic toxicity:
	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	10,000 mg/l/72h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	10,000 mg/l/24h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
	8-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	10,000 mg/l/72h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
	10,000 mg/l/48h (aquatic invertebrates)
64742	2-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatic
LL50	1.13-65 mg/l/96h (fish)
	21-150 mg/l/72h (fish)
LL50	28-180 mg/l/48h (fish)
LL50	100-1,000 mg/l/24h (fish)
EL50	7.385-210 mg/l/48h (aquatic invertebrates)
EL50	180-1,000 mg/l/24h (aquatic invertebrates)
EL50	1.714-22 mg/l/72h (algae / cyanobacteria)
	stence and degradability No further relevant information available. viour in environmental systems:
Bioad	ccumulative potential
64742	2-53-6 Distillates (petroleum), hydrotreated light naphthenic
Partiti	ion coefficient 2-6 [] (log Kow) (Bioaccumulation)
64742	2-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatic
Biode	gradability 74 % (28d) (Biodegradability) (OECD 306)
	ity in soil No further relevant information available.
	ional ecological information:
	ral notes: r hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water
	of allow undiluted product or large quantities of it to reach ground water, water course
	ge system.
	Its of PBT and vPvB assessment
	Not applicable.
	: Not applicable. r adverse effects No further relevant information available.
Other	

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

[,] AU

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

Contact waste processors for recycling information.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADG, ADN, IMDG, IATA	Void	
UN proper shipping name ADG, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA Class	Void	
Packing group ADG, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian I	Inventory of Chemical Substances
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic
64742-62-7	Residual oils (petroleum), solvent-dewaxed
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
64742-46-7	Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
97-88-1	n-butyl methacrylate
64742-47-8	Distillates (petroleum), hydrotreated light
33703-08-1	Diisononyladipat
25307-17-9	2,2'-(9-octadecenylimino)bisethanol
1330-20-7	xylene
100-41-4	ethylbenzene
140-88-5	ethyl acrylate
· Standard fo	or the Uniform Scheduling of Medicines and Poisons
1330-20-7 >	kylene S6

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

(Contd. of page 6)

Printing date 04.04.2019

Version number 1.1

Revision: 04.04.2019

Trade name: RACING FORK OIL 7,5W

(Contd. of page 7)

for any specific product feature. The classification of the mixtu down in Annex I of Regulation (ar present knowledge. However, this shall not constitute a guara s and shall not establish a legally valid contractual relationship. re was carried out by calculation in accordance with the rules (EC) No 1272/2008. to ensure protection of human health and environment are require
Relevant phrases H304 May be fatal if swallowed	and enters airways.
International Carriage of Dangerous G IMDG: International Maritime Code for IATA: International Air Transport Asso EINECS: European Inventory of Existii ELINCS: European List of Notified Che	t des marchandises dangereuses par Route (European Agreement concernin pods by Road) Dangerous Goods ciation ng Commercial Chemical Substances mical Substances sion of the American Chemical Society) H) t Toxic umulative iory 1