

Health & Safety Information

### RockShox Fork Oil X-Heavy 15wt.

Product Part Number: 73.4304.875.002,

73.4304.876.002, 73.4301.531.004

MSDS Date: 05/04/2015

### Section 1: Identification of the preparation and company

Preparation/Product Name RockShox Fork Oil X-Heavy 15wt.

**Product Code** 73.4304.875.002, 73.4304.876.002, 73.4301.531.004

TORCO INTERNATIONAL CORP. 1720 SOUTH CARLOS AVENUE

ONTARIO, CA 91761

 Telephone No.
 (909) 980-1495

 24 hour Emergency Telephone No.
 (800) 424-9300

 General MSDS
 (909) 980-1495

## Section 2: Hazards Identification of the product

# **Warning**

#### **GHS Classification**

**Company Name** 

Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	5	May be harmful if swallowed
Acute Toxicity (skin)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category.
	2	No target organs for this category.
	3	No target organs for this category.
Specific target organ systemic toxicity (repeated exposure)	1	No target organs for this category.
	2	No target organs for this category.
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic environment (acute)	Not classified	Not applicable
Harmfulness to aquatic environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive toxicity	Not classified	Not applicable
Organic peroxide	Not classified	Not applicable

Safety Phrases: Not Applicable

## Section 3: Composition / Information Identity of Ingredients

Mixture: Yes

Ingredient CAS Number Concentration

Petroleum distillates, hydrotreated light naphthenic 064742-53-6 <90

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

### **Section 4: First Aid Measures**

**Inhalation** Remove exposed person to fresh air. If breathing is labored, administer oxygen and

obtain immediate medical attention. If irritation persists or if toxic symptoms are

observed, get medical attention.

**Eye Contact** Flush with water at least 15 minutes. Get medical attention if eye irritation develops

or persists.

**Skin Contact** Wash immediately with soap and water. Remove soiled clothing. Get medical

attention if irritation develops. Launder contaminated clothing.

**Ingestion** DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate

medical attention.

### **Section 5: Fire Fighting Measures**

Flash Point °C 130

Slightly Combustible. May release flammable vapors when heated above flash point.

**Extinguishing** 

Media

Carbon Dioxide, dry chemical, or foam. Avoid using water.

Combustion Products

Carbon monoxide and asphyxiants.

Special Fire Procedures

Recommend SCBA. Use water only for cooling container. Water may cause

splattering, or transport the flame.

#### **Section 6: Accidental Release Measures**

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems.

# **Section 7: Handling & Storage**

**Handling** Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with

adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not

cut, weld, braze, solder or expose containers to other ignition sources.

**Storage** Store in closed containers of proper construction. Store away from ignition sources

and in areas of good ventilation.

## **Section 8: Exposure Controls & Personal Protection**

**Exposure Limits** The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m3 for oil mists.

**Ventilation** Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or

mists.

**Gloves** Nitrile or neoprene gloves are recommended.

**Eye Protection** Safety glasses, goggles, or face shield are recommended.

**Respiratory**Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended exposure limit is exceeded. Self-contained breathing

apparatus is recommended for confined space entry.

Clothing Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile

rubber boots when necessary to avoid contaminating shoes.

### **Section 9: Physical & Chemical Properties**

Appearance RED OILY LIQUID Odor Petroleum Odor

Flash Point °C >130 Boiling Point °C N/D VOC % NIL pH n/d

Specific Gravity0.895Solubility in WaternegligibleVapor Pressure<0.01 mmHg@20 °C</th>Vapor DensityHeavier than air

**Evaporation Point** less than ether

Flammability Materials classified as DOT Combustible Liquids (Flash Point > 141° F and < 200° F) are

not regulated by DOT in containers of 110 gallons, or less for domestic shipments.

Data supplied is for use only in connection with occupational safety and health. Specifications subject to change without notice.

## **Section 10: Stability & Reactivity**

**Stability** Material is normally stable at ambient temperature and pressure.

**Conditions to** 

Avoid

Oxidizing agents. Do not heat above the flash point.

**Polymerization** Will not occur.

**Decomposition** Carbon dioxide, carbon monoxide.

# **Section 11: Toxicological Information**

Ingredient	Oral LD50,	Skin LD50,	Inhalation Vapor
	mg/kg	mg/kg	LD50, mg/L/4hr
Petroleum distillates, hydrotreated light naphthenic	5,000, rat - Category: 5		

**Oral Toxicity** Swallowing material may cause irritation of the gastrointestinal lining, nausea,

vomiting, diarrhea, and abdominal pain.

**Eye Irritation** Not expected to cause eye irritation.

**Skin Irritation** Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause

irritation.

**Carcinogenicity** This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

Carcinogenicity

CAS Number	Ingredient		
064742-53-6	Petroleum distillates, hydrotreated light naphthenic	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
		California OSHA	Listed: No

### **Section 12: Ecological Information**

This material is expected to have adverse affects on marine and plant life. Spills may contaminate drinking water.

## **Section 13: Disposal Consideration**

Consult federal, state, and local regulations regarding disposal methods, Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

### **Section 14: Transportation Information**

See 49 CFR part 171.8 through 178.510

Proper Shipping Oil, n.o.s

Name

Hazard Class Not regulated
UN No Not applicable
Packaging Group Not applicable

Marine Pollutant No

GHS Hazard Class Not applicable
GHS Shipping Not applicable

Information

IMDG Not Regulated ICAO/IATA Class Not Regulated

# **Section 15: Regulatory Information**

**TSCA:** All components of this product are listed on the United States TSCA

(Toxic Control Substance Act) Inventory.

RCRA: Not RCRA regulated

**DSL:** All components of this product are listed on the Canadian Domestic

Substances List (DSL).

**SARA 311/312 (>0.1%):** Not applicable

**Korean Existing Chemicals** 

Inventory:

SARA 313 (>0.1%): **CERCLA (>0.1%):** Inventory - Canada - Non-**Domestic Substances List** (NDSL): Phosphonic acid, diisooctyl ester **California Proposition 65 Cancer** (>0.00%): Arsenic (<0.01 %) Cadmium (<0.01 %) Lead (<0.01 %) **California Proposition 65** Developmental (>0.00%): Arsenic (<0.01 %) Cadmium (<0.01 %) Lead (<0.01 %) **California Proposition 65 Female** Reproductive (>0.00%): Lead (<0.01 %) **California Proposition 65 Male** Reproductive (>0.00%): Cadmium (<0.01 %) Lead (<0.01 %) Inventory - Australia - Inventory of Chemical Substances (AICS): Acrylic Copolymer Amines, N-tallow alkyltrimethylenedi-**Butylated Phenol** Di(2-ethylhexyl)phosphoric acid Petroleum distillates, hydrotreated heavy naphthenic Petroleum distillates, hydrotreated light Petroleum distillates, hydrotreated light naphthenic Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-**Inventory - Japan Existing and New Chemical Substances** (ENCS): Acrylic Copolymer () Di(2-ethylhexyl)phosphoric acid (2-1986) Petroleum distillates, hydrotreated heavy naphthenic () Petroleum distillates, hydrotreated light () Petroleum distillates, hydrotreated light naphthenic () Phosphonic acid, diisooctyl ester (2-2001) Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (2-2185) Acrylic Copolymer

Di(2-ethylhexyl)phosphoric acid

Petroleum distillates, hydrotreated heavy naphthenic

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

Phosphonic acid, diisooctyl ester

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-

#### **Inventory of Existing Chemical Substances in China:**

Acrylic Copolymer

**Butylated Phenol** 

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

### Philippines Inventory of **Chemicals and Chemical Substances (PICCS):**

Acrylic Copolymer

Amines, N-tallow alkyltrimethylenedi-

**Butylated Phenol** 

Di(2-ethylhexyl)phosphoric acid

Petroleum distillates, hydrotreated heavy naphthenic

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-

Not applicable

#### **Taiwan List of Toxic Chemical** Substances regulated under **Toxic Chemical Substances**

**Control Act:** 

**EU REACH: Annex XVII, Dangerous Substances and** 

**Preparations:** 

Petroleum distillates, hydrotreated heavy naphthenic Petroleum distillates, hydrotreated light naphthenic

**Inventory - European Union -European Inventory of Existing Commercial Chemical** Substances (EINECS):

Acrylic Copolymer ()

Amines, N-tallow alkyltrimethylenedi- (263-189-0)

Butylated Phenol ()

Copolymer ester (Multipurpose) ()

Di(2-ethylhexyl)phosphoric acid (206-056-4)

Petroleum distillates, hydrotreated heavy naphthenic (265-155-0)

Petroleum distillates, hydrotreated light (265-149-8)

Petroleum distillates, hydrotreated light naphthenic (265-156-6)

Phosphonic acid. diisooctyl ester (252-873-4)

#### RockShox Fork Oil X-Heavy 15wt.

MSDS#73.4304.875.002 73.4304.876.001 73.4301.531.004

Dibutylamine Oleate ()

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (224-235-5)

**EU List of Notified Chemical** 

Not applicable

Substances (ELINCS):

Risk Phrases: Not Applicable

### **Section 16: Other Information**

HMIS	Health:	1	NFPA	Health:	1
	Fire:	1		Fire:	1
	Physical Hazards:	0		Reactivity:	0
	PPE:	С		Special Hazards:	

This information was derived from current data and the works and opinions of persons believed to be qualified experts. To the best of our knowledge, it is believed to be accurate to the best of Torco International Corporation knowledge and reliable as of the date compiled. However, no guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We expressly disclaim all warranties of every kind and nature, including warranties of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof.

Data supplied is for use only in connection with occupational safety and health.

**End of Material Safety Data Sheet**